

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((record\$3 or reproduc\$3) adj5 apparatus) and (encrypt\$3 or encipher\$3) and (record\$3 with (single adj5 file) and display\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:04
L2	69	((record\$3 or reproduc\$3) adj5 apparatus) and (encrypt\$3 or encipher\$3) and (record\$3 with (single adj5 file) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:15
L3	1830	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:05
L4	847	705/57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:05
L5	233	705/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:05
L6	976	380/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:05
L7	207	380/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:05
L8	333	380/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:06
L9	15	I2 and (I3 or I4 or I5 or I6 or I7 or I8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:07

EAST Search History

L10	4	((record\$3 or reproduc\$3) adj5 apparatus) and (encrypt\$3 or encipher\$3) and (record\$3 with (single adj5 file)) and ((content or source or additional) adj5 ("ID" or identifi\$6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:20
L11	4	((record\$3 or reproduc\$3) adj5 apparatus) and (encrypt\$3 or encipher\$3) and ((compar\$3 with ((content or source or additional) adj5 ("ID" or identifi\$6))) same "medium ID")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:28
L12	20	((record\$3 or reproduc\$3) adj5 apparatus) and ((compar\$3 with ((content or source or additional) adj5 ("ID" or identifi\$6))) same (medium near5 ("ID" or identifi\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:31
L13	11	((record\$3 or reproduc\$3) adj5 apparatus) and ((compar\$3 with ((content or source or additional) adj5 ("ID" or identifi\$6))) same (medium near5 ("ID" or identifi\$6))) and ((encrypt\$3 or encipher\$3) adj3 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:37

Tip: Try removing quotes from your search to get more results.

Information recording/reproducing apparatus with security measure ...

Then, the data are encrypted and recorded on the medium along with the **additional ID**. In reproduction, the **medium ID** and the **additional ID** attached to the ...

www.patentdebate.com/PATAPP/20040025041 - Supplemental Result - [Similar pages](#)

Information recording/reproducing apparatus with security measure ...

By comparing the **additional ID** and **medium ID**, it is possible to identify a At next step S3, the read-out **medium ID** and read-out **additional ID** are ...

www.freepatentsonline.com/20040025041.html - 50k - [Cached](#) - [Similar pages](#)

[\[PDF\]](#) Helix-loop-helix proteins in Schwann cells: A study of regulation ...

File Format: PDF/Adobe Acrobat

An **additional Id** 3 antibody was a gift from Dr. Richard Deed. In defined **medium**, **Id** 2 expres- sion was down-regulated within 24 hr of culture. **Id** 2 ...

[doi.wiley.com/10.1002/\(SICI\)1097-4547\(19971201\)50:5%3C684::AID-JNR6%3E3.0.CO%3B2-D](http://doi.wiley.com/10.1002/(SICI)1097-4547(19971201)50:5%3C684::AID-JNR6%3E3.0.CO%3B2-D) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

Did you mean: "content ID" "medium **IS**" "encrypted data"

Sponsored Links

[Contents management method, content management apparatus, and ...](#)

[Total content protection](#)

Control who can view (& for how long), print & copy your content
www.locklizard.com

Encrypted data is decrypted using second shared information item and key secure **medium ID** (SMID): which is obtained by encrypting a **medium ID** using ...

www.freepatentsonline.com/7181008.html - 84k - Cached - [Similar pages](#)

[Contents management method, contents management apparatus, and ...](#)

Encrypted data is decrypted using second shared information item and key secure **medium ID** (SMID): which is obtained by encrypting a **medium ID** using ...

www.freepatentsonline.com/20060188093.html - 80k - Cached - [Similar pages](#)

[Data transfer system, data transfer apparatus, data recording ...](#)

In step S5, the system control unit 32 transmits the **encrypted data** E(S, four bytes to the **medium ID** in a data format of eight bytes or thereabout. ...

www.freepatentsonline.com/7191346.html - 226k - Cached - [Similar pages](#)

[Information processing apparatus, information processing method ...](#)

[0101] Further, a **medium ID**, a channel ID and an output time are added as a a desire to purchase a decryption key of downloaded **encrypted data**. ...

www.freepatentsonline.com/20010037378.html - 200k - Cached - [Similar pages](#)

[Data transfer system, data transfer apparatus, data recording ...](#)

In step S5, the system control unit 32 transmits the **encrypted data** E(S, four bytes to the **medium ID** in a data format of eight bytes or thereabout. ...

www.freepatentsonline.com/20030031319.html - 226k - Cached - [Similar pages](#)

[Information processing system, information processing method ...](#)

The key information 111 includes a medium key block MKB and a **medium ID**. The **encrypted data** stream representing the content and the output control ...

www.freepatentsonline.com/20070009232.html - 163k - Cached - [Similar pages](#)

[DATA TRANSFER SYSTEM, DATA TRANSFER APPARATUS, DATA RECORDING ...](#)

In this specification, notation E (x, y) denotes **encrypted data** obtained as The recorded set of data typically includes a **medium ID**, a balance and a ...

www.freepatentsonline.com/EP1396791.html - 263k - Cached - [Similar pages](#)

[Contents management method, content management apparatus, and ...](#)

Encrypted data is decrypted using second shared information item and key ... 7A, children of the content having a **content ID**="TID1" are checked out to two ...

www.patentgenius.com/patent/7181008.html - 86k - Supplemental Result - Cached - [Similar pages](#)

[Contents management method, content management apparatus, and ...](#)

Encrypted data is decrypted using second shared information item and key ... 7A, children of the content having a **content ID**="TID1" are checked out to two ...

www.patentmonkey.com/PM/patentid/7181008.aspx - 180k - Supplemental Result - Cached - [Similar pages](#)

[Contents management method, content management apparatus, and ...](#)

Encrypted data is decrypted using second shared information item and key ... 7A, children of the content having a **content ID**="TID1" are checked out to two ...
www.linkgrinder.com/Patents/Contents_manage_7181008.html - 103k - Supplemental Result - Cached - Similar pages

Did you mean to search for: "content ID" "medium **IS**" "encrypted data"

[1](#) [2](#) [3](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)